

Colored halos around faces and emotion-evoked colors: a new form of synesthesia

Journal:	<i>Neurocase</i>
Manuscript ID:	NCS-OA 10-136.R2
Manuscript Type:	Original Article
Date Submitted by the Author:	27-Apr-2011
Complete List of Authors:	Ramachandran, Vilayanur S.; UCSD, Center for brain Miller, Luke; University of CA, San Diego Livingstone, Margaret; Harvard Brang, David; University of CA, San Diego
Keywords:	synaesthesia, color, fusiform, ffa, qualia, aura

SCHOLARONE™
Manuscripts

1
2
3 **Colored halos around faces and emotion-evoked colors: a new form of synesthesia**
4

5 Running Title: Colored halos and emotion-evoked colors
6
7
8
9

10 Vilayanur S. Ramachandran¹, Luke Miller¹, Margaret S. Livingstone², David Brang¹
11

12 ¹University of CA, San Diego
13

14 ²Harvard University
15
16
17
18
19

20 Corresponding Author:
21

22 VS Ramachandran
23

24 University of CA, San Diego
25

26 9500 Gilman Dr 0109
27

28 La Jolla, CA 92093-0109
29

30 P. 858.534.7907
31

32 F. 858.534.7190
33

34 E. vramacha@ucsd.edu
35
36
37
38
39

40 Word Count: 3214
41

42 Keywords: synaesthesia, color, fusiform, ffa, qualia
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Abstract

The claim that some individuals see colored halos or auras around faces has long been part of popular folklore. Here we report on a 23 year-old man (subject TK) diagnosed with Asperger's Disorder, who began to consistently experience colors around individuals at the age of 10. TK's colors are based on the individual's identity and emotional connotation. We interpret these experiences as a form of synesthesia, and confirm their authenticity through a target detection paradigm. Additionally, we investigate TK's claim that emotions evoke highly specific colors, allowing him, despite his Asperger's, to introspect on emotions and recognize them in others.

Introduction

In the 19th century, Francis Galton observed that a certain proportion of the general population who were otherwise normal had a condition he dubbed “synesthesia”; a sensory stimulus presented through one modality spontaneously evoked a sensation in an unrelated modality (Galton, 1883). For example, an individual may experience a specific color for every given note, or every grapheme (printed number or letter) may be tinged with a specific hue (e.g. C-sharp or the number 5 evoking red). Although synesthetic experiences were long disregarded as a rare curiosity, there has been a tremendous resurgence of interest in the last decade (e.g. Ramachandran & Hubbard, 2001a; Ramachandran & Hubbard, 2003a; Mattingley, Rich, Yelland, Bradshaw, 2001). Furthermore, this research has demonstrated that the phenomenon is relatively common (2-4% of the population; Simner et al., 2006), is mediated by genetic factors (Asher et al., 2009), and can influence aspects of everyday life ranging from memory (Smilek, Dixon, Cudahy, Merikle, 2002) to creativity (Ward, Thompson-Lake, Ely, Kaminski, 2008).

Several lines of evidence suggest that in most instances of synesthesia, the evoked color is a sensory experience as opposed to a high-level memory association (e.g. from having used colored refrigerator magnets as a child). Synesthetically induced colors can lead to perceptual segregation (Ramachandran & Hubbard, 2001a; Ward, Jonas, Dienes, Seth, 2010), different portions of a single letter can have multiple colors (Ramachandran & Brang, 2010), and some color anomalous synesthetes may even see synesthetic colors that are unique from those experienced in the real world (Martian colors; Ramachandran & Hubbard, 2001b), despite the absence of the “necessary” cone pigments. Furthermore, synesthetically induced colors can drive apparent motion (Ramachandran & Azoulay, 2006; Kim, Blake, Palmeri, 2006) and the vividness of synesthetic colors can vary with eccentricity and field laterality (Brang & Ramachandran,

1
2
3 2009). Taken collectively, these observations support the early sensory cross-activation theory of
4 synesthesia, although these do not negate powerful top-down influences (demonstrated using
5 Navon figures; Ramachandran & Hubbard, 2001b) and the existence of higher forms of
6 synesthesia that are more “conceptually driven” and harder to relate to physiology.
7
8
9

10
11
12
13 Research into the neural basis of synesthesia has further confirmed the sensory cross-
14 activation theory of many robust forms of synesthesia. For example, simple achromatic
15 graphemes will spontaneously and inevitably activate grapheme-regions in the fusiform gyrus in
16 tandem with area V4 (Hubbard, Arman, Ramachandran, Boynton, 2005; Sperling et al., 2006;
17 Brang et al., 2010). Furthermore, the cross-activation of these sensory regions is mediated by
18 increased white-matter connectivity in synesthetes, as assessed by diffusion tensor imaging
19 (Rouw & Scholte, 2007). Given that the fusiform gyrus has clusters of cells responsive to faces
20 in addition to colors and graphemes, one might predict the existence of "face-color" synesthesia
21 in some individuals. Further, such incidences of which may explain the occasional reports of
22 colored halos around individuals – a phenomenon that is usually relegated to the domain of
23 fringe psychology. We had searched for such synesthetes over a decade ago, to no avail, but
24 recently came across one by accident.
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42

43 **Case Report**

44
45 TK is a 23 year-old male who had been clinically diagnosed with Asperger’s syndrome.
46 According to TK, when he was younger he found it impossible to understand facial expressions
47 and emotions, whether his own or those of others, and thus found it difficult to interact socially.
48 Around the age of 10 his mother suggested that he attempt to label the feeling of each emotion
49 (presumably based on context, social situation and facial expressions) with a specific color, in an
50
51
52
53
54
55
56
57
58
59
60

1
2
3 attempt to relay the appropriate emotions to his father and her. For example, while experiencing
4 what he considered happiness he would tell his parents that he was feeling “green”. It is unclear
5 whether there were pre-existing emotion-color biases which were subsequently encouraged by
6 his parents or whether they were arbitrarily imposed in early life by his parents to infuse in him
7 some semblance of an emotional life. In either case, he reports that this strategy helped
8 immensely. Further, by comparing the color elicited by another person with the emotion that
9 would be associated with the same color in his own mind, TK was able to "read" the other
10 individuals' emotions more accurately.
11
12
13
14
15
16
17
18
19
20
21

22 At about the same time that he began associating colors with emotions (Experiment 2), he
23 also began seeing colored halos around individuals (Experiment 1). The color of these halos
24 corresponds to TK’s emotional stance toward that particular person, and when a new individual
25 is encountered a blue halo emerges de-nouveau and the color evolves progressively with
26 repeated exposure. TK claims that the halos are clearly “seen” or perceived around the person’s
27 face and body and not merely imagined (although such words lose their resolving power when
28 dealing with such ineffable experiences as synesthesia).
29
30
31
32
33
34
35
36
37
38
39
40

41 **Experiment 1: TK’s Halos**

42 During our initial interview, TK was accompanied by a female companion who he had
43 known for several years. We instructed him to look at this individual standing in front of a blank
44 white screen and TK noted that he perceived a bright red halo radiating approximately 4 to 6
45 visual degrees from her body. We then drew an outline on the screen surrounding his companion
46 (see Figure 1). TK noted with surprise that the colored halo became more intense, spread out
47 from the body, and was blocked precisely and crisply at the outline; behaving in this regard like
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 some sensory color illusions such as “neon spreading” (Nakayama, Shimojo, Ramachandran,
4
5 1990). When we made a small gap in the outline TK exclaimed that the color “leaked out”
6
7
8 through the opening by a few inches. By drawing the outline selectively around the face, arms, or
9
10 torso we were able to show that the color evoked was especially pronounced around the face and
11
12 less so around other body parts. This fits the physiological observation (Downing, Jiang,
13
14 Shuman, Kanwisher, 2001) that although the fusiform gyrus also has cells for arms, they are
15
16 sparser than those tuned to faces.
17
18

19
20 After TK made the observation that a border drawn around a subject “traps” his halos, we
21
22 performed some informal tests to determine the validity of his statement. We asked TK to look at
23
24 the student’s face while we surreptitiously introduced a large vivid red spot near the student’s ear
25
26 (approximately 2 degrees visual angle). The spot served as a vivid cue against the white
27
28 background, being immediately noticed and attended to by the other researchers in the room. TK
29
30 did not notice any change. Yet when we repeated the procedure with a green spot, TK
31
32 spontaneously attended to the spot as expected, and queried us about it. After presenting the red
33
34 spot a second time after delay, he again failed to notice it was there. It was only after TK was
35
36 told that a spot was present and asked to identify its location that TK located it after several
37
38 seconds of searching. The same pattern of results were not seen when a spot, red or green was
39
40 introduced to a location outside of the border. Under these circumstances, TK spontaneously
41
42 attended to them. This formed the basis for a formal reaction time experiment to give objective
43
44 verification that TK does indeed experience halos.
45
46
47
48
49
50
51
52

53 **Methods**

54
55
56
57
58
59
60

1
2
3 A 1.6 meter tall female undergraduate (who had a blue halo) stood 15 centimeters away
4 from the white sheet. The previously described images were back-projected onto the white sheet
5 around the body of the female undergraduate (Figure 1). Each participant stood 1.5 meters away
6 from the sheet as a single grapheme was projected at a random location either inside or outside
7 of the border. An early localizer task using black dots determined that each grapheme location
8 was clearly visible by each subject, and TK indicated that his halo was trapped at each location
9 along the border. Each subject was instructed to indicate whether the present grapheme was
10 either an 'A' or an 'M', and did so by speaking into a microphone (accuracy recorded for offline
11 processing and voice onset response times recorded by EPrime Serial Response Box). Each
12 grapheme was presented without time limit, although subjects were told to respond as quickly
13 and accurately as possible. Each response was followed by a 2250 millisecond break where only
14 the border was present. A beep indicated the beginning of each trial and let the subject know to
15 begin looking for the grapheme. There were five blocks; each containing 32 trials with randomly
16 assigned graphemes and locations for a total of 160 trials for the whole experiment (40 for each
17 grapheme; blue A, blue M, orange A, orange M). For each colored grapheme there were 20
18 images per side (e.g. left), ten of which were located inside of the border. Each grapheme
19 subtended 1.5 degrees visual angle vertically, and was a minimum of 3 degrees visual angle from
20 the student's body. Three-minute breaks were given between each block.

21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46 ----- **Figure 1**----

47
48 *Apparatus*

49
50 A projector (Proxima Desktop Projektor 9260; Proxima Corp.; San Diego, CA) was used
51 to backlight a 1.76 x 2.26 meter white sheet. The projector was 0.77 meters off the ground and
52
53
54
55
56
57
58
59
60

1
2
3 3.43 meters behind the white sheet. The projector was tilted 90° on its side in order to present the
4
5 visual images vertically in an appropriate size.
6
7
8
9

10 **Results**

11
12 Results revealed subject TK was slower to identify letters located inside the halo
13 boundary that were congruously colored with his halo (2568.8 ms), compared to any of the
14 control conditions (inside halo incongruous color, 1139.3 ms; outside halo congruous color,
15 1056.2 ms; outside halo incongruous color, 1055.9 ms). This dissociation was confirmed with a 2
16 x 2 x 10 ANOVA with factors of color congruity (Congruous/incongruous), location
17 (inside/outside of the halo border), and target presentation (where along the subject's body the
18 target was presented) applied to TK's response times for correctly locating targets revealed main
19 effects of congruity [$F(1, 138) = 131.0, p < .001$] and location [$F(1, 138) = 161.9, p < .001$].
20 Furthermore, we found a significant interaction between congruity and location [$F(1,138) =$
21 123.8, $p < .001$] (Figure 2). Follow-up t-tests revealed TK was most impaired when a blue
22 grapheme (congruous with the blue halo) was presented inside of the border of the halo,
23 compared to either an orange grapheme (providing ample contrast to the blue halo; $t(58)=9.20,$
24 $p < .001$) or a blue grapheme outside the border of the halo $t(58)=9.69, p < .001$. TK's performance
25 also varied according to target presentation [$F(9,138) = 4.25, p < .001$], such that he was quicker
26 to respond to targets closer to the face on the upper half of the body (1720.9 ms) than to those
27 presented near the lower half (1516.5 ms).
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49

50 Non-synesthetic control subjects (n=4) tested on a matched procedure showed similar
51 response times across the conditions (inside halo congruous color, 728.0 ms; inside halo
52 incongruous color, 770.8 ms; outside halo congruous color, 745.7 ms; outside halo incongruous
53
54
55
56
57
58
59
60

1
2
3 color, 807.0 ms), yet revealed main effects of congruity at the group level [$F(1,3) = 10.6, p < .05$]
4
5 and location [$F(1,3) = 180.0, p < .01$] due to baseline differences in the ability to detect
6
7 graphemes in each of the conditions. Critically, however, controls showed no interaction
8
9 between congruity and location at either the individual level (all F s below 0.51, all p values
10
11 above .48) or as a group [$F(1,3) = 0.31, p = .62$] in a clear dissociation from TK; i.e. blue
12
13 graphemes were occluded by the halo for TK, but not for the controls. Similar to TK, controls
14
15 also showed a group level main effect for row [$F(9,3) = 4.131, p < .01$], suggesting all subjects
16
17 responded more quickly to targets at eye level and near initial fixation.
18
19
20
21

22 To examine whether TK's performance significantly differed from that of controls,
23
24 Crawford and Garthwaite's Revised Standardized Difference Test (RSDT; 2005) was applied to
25
26 TK and the controls' reaction time data. Comparing congruously colored targets either inside or
27
28 outside of the aura between TK and controls confirmed the presence of a larger difference in TK
29
30 than the controls, $t(3) = 11.19, p < .01$. Comparing congruously versus incongruous colored targets
31
32 inside of the aura between TK and controls again confirmed the larger difference in TK,
33
34 $t(3) = 10.59, p < .01$.
35
36
37
38

39 ----- **Figure 2** -----
40

41 The effect of TK's halos on his task performance is equally apparent when considering
42
43 his accuracy. When a congruously colored grapheme was presented inside of the border of the
44
45 halo, TK performed at chance (52.5%) for discriminating whether a specific target was an 'A' or
46
47 an 'M'. However, TK showed perfect accuracy for all other conditions, as were the control
48
49 subjects for every condition of the experiment. Thus only when the grapheme was occluded by
50
51 the halo did TK have difficulty discriminating what it was.
52
53
54
55
56
57
58
59
60

Experiment 2: Emotion-Color Synesthesia

As part of TK's phenomenological descriptions, he reported that when he experiences emotional states or views them in others he indiscriminately experiences a specific color paired with the appropriate emotion (e.g. pride is blue, and aggression red). In order to examine the authenticity of TK's emotion-color pairings, we tested the strength of these associations using modified and classic versions of the stroop interference task.

Methods

Subjects were instructed to read aloud the visual color of either a color word (2 blocks containing 24 trials each) or an emotional word (2 blocks containing, 24 trials each). The order of the blocks alternated between color word and emotional word. 50% of trials were congruous to the respective stimuli and 50% were incongruous; congruity of emotional word colors were based on TK's color associations. Trial orders were randomized. Colored stimuli were presented on a grey background (Arial, subtending 2 degrees visual angle vertically) until a vocal response was produced; vocal onset was registered using an EPrime SRBox response device.

Results

Results from the emotional word condition are presented in Figure 3. TK's mean response times for each condition differed as a function of congruity for both color words (congruous 742.7 ms; incongruous 1035.4 ms) as well as emotional words (congruous 1147.6 ms; incongruous 1461.4 ms). Confirming differences between these conditions, a 2 x 2 ANOVA with factors of word type (color/emotional words) and congruity (congruous/incongruous) applied to TK's data revealed significant main effects of word type [$F(1,86)=21.5, p<.001$] and

1
2
3 congruity [$F(1,86)=11.1$, $p=.001$] and critically showed no interaction between the two
4
5
6 [$F(1,86)=.002$, $p=.96$]. Follow-up analyses using an unpaired t-test showed significant effects of
7
8 congruity for both color words $t(45)=3.49$, $p=.001$, as well as emotional words $t(41)=2.03$, $p=.05$,
9
10 confirming TK's reports that emotional words are linked with the experience of color.

11
12 Non-synesthetic control subjects ($n=15$) tested on a matched procedure also showed main
13
14 effects of word type [$F(1,14)=12.5$, $p<.01$] and congruity [$F(1,14)=46.4$, $p<.001$], with a critical
15
16 interaction of the two [$F(1,13)=131.0$, $p<.001$]; mean response times for color words (congruous
17
18 670.5 ms; incongruous 877.2 ms) and emotional words (congruous 686.3 ms; incongruous 674.9
19
20 ms). Follow-up paired t-tests confirmed this interaction was driven by congruity of color words
21
22 $t(14) = 9.40$, $p<.001$ with no significant effect of congruity on emotional words $t(14) = 1.09$,
23
24 $p=.29$. RSDT was applied to these data comparing TK's performance with that of controls. For
25
26 congruous versus incongruous color words, no significant difference was observed between TK
27
28 and controls, $t(t(14)=0.64$, $p=.53$, confirming similar levels of typical stroop interference. For
29
30 congruous versus incongruous emotional words however, TK showed significantly more stroop
31
32 interference compared to controls, $(14)=6.73$, $p<.001$.

33
34 TK as well as controls were highly accurate in both the color word condition (TK 100%
35
36 accuracy, control's average accuracy 98.6%) and emotional words condition (TK 97.9%
37
38 accuracy, controls average accuracy 98.2%). Using RSDT to compare accuracy for congruous
39
40 versus incongruous targets between the conditions revealed no differences in performance
41
42 between TK and the controls, $t(14)=0.856$, $p=.41$.

43
44
45
46
47
48
49
50
51
52
53 ----- Figure 3----

54 55 Discussion

1
2
3 The very idea of halos, colors emanating from an individual's 'energy field', is usually
4 met with utmost incredulity and skepticism by scientists; so much so that the renowned magician
5 and arch-skeptic James Randi has offered a million dollar prize to anyone who can establish their
6 existence. Here we provide the first evidence of the existence of this effect. We demonstrate not
7 only the authenticity of the phenomenon (that it isn't made up by the subject) but that colors
8 evoked are perceptually "real" in the sense of changing detection thresholds and producing
9 stroop interference in the same manner as real colors.
10
11
12
13
14
15
16
17
18

19
20 We propose that halos originate from cross-activation between area V4 and the fusiform
21 face area, which has been implicated in the processing of an individual's identity (Kanwisher,
22 McDermott, Chun, 1997) paired with networks involved with facial recognition (Gauthier et al.,
23 2000). Additional modulation of this network likely comes from integration with the amygdala,
24 insula and other limbic centers involved in the processing of emotions and social judgments
25 (Phelps, 2006). This is consistent with the observation that the color of a person's halo is also
26 affected by TK's idiosyncratic emotional stance toward him/her.
27
28
29
30
31
32
33
34
35
36
37
38

39 **Emotion – color taxonomy**

40
41 During our testing we also made another informal observation; we noticed that TK's
42 color for pride was a shade of blue and the color for aggression was pinkish-red. Intriguingly, the
43 color for arrogance is purple, presumably because the combination of blue and red in color-space
44 is purple, and the combination of pride and aggression in emotion-space is arrogance (TK
45 himself had not noticed this coincidence until we pointed it out to him). This observation, if
46 further verified would indicate that TK's color associations are not random. Instead they are the
47 results of a taxonomy of emotions in TK's brain developed through systematically mapping
48
49
50
51
52
53
54
55
56
57
58
59
60

1
2
3 emotional-space represented in the frontal cortices and insula on to color-space in V4 and its
4
5 projection zones. In a demonstration of this preliminary data, we have mapped several of TK's
6
7 emotion-color associations in color space (Figure 4), though additional experiments are needed
8
9 to test this intriguing notion of color taxonomy.
10
11

12
13 ----- **Figure 4**-----
14

15 Although presumably evoked through similar mechanisms as in other forms of the
16
17 condition, TK's synesthesia seems to also be a vital aspect of his conscious understanding of
18
19 emotions. Evidence of this comes from two observations. First, TK claims that recognition of
20
21 emotion can only occur after he experiences the color. Second, when TK wishes to express his
22
23 emotion (e.g. through a facial expression), he must tell himself to "do green" (in the case of
24
25 happiness). This not only provides evidence for the necessity of using color to judge emotions,
26
27 but also provides preliminary evidence that his synesthesia is embodied. Unlike previously
28
29 reported evidence for embodiment in neurotypicals which is centered around connecting
30
31 emotions with facial expressions (Oberman, Winkielman, Ramachandran, 2007), TK's
32
33 embodiment appears grounded in his ability to "simulate" the color of other's emotions with that
34
35 of his own.
36
37
38
39

40
41 It is well known that strong anatomical links exist in primates between emotions and
42
43 color (e.g. to detect fruits and rumps in estrus), mediated, perhaps, by connections between v4
44
45 and insula which projects to limbic/emotional structures such as amygdala (and also indirectly to
46
47 frontal structures that may modulate more subtle emotions like arrogance and pride). An
48
49 enhancement of these connections due to defective pruning or disinhibition would explain why
50
51 he had more vivid color- emotion links (which were also subsequently enhanced through early
52
53 childhood training).
54
55
56
57
58
59
60

1
2
3 Our observations on TK also raise the possibility of a novel therapeutic intervention for
4 patients with autism. Would it be possible to train the child (initially using cues from social
5 context, situation, overt behavior and peoples expressions) to attach color labels to feelings,
6 thereby allowing the child to develop a new internal taxonomy of emotions by mapping them on
7 to his/ her color space?
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

References

- Asher, J. E., Lamb, J. A., Brocklebank, D., Cazier, J. B., Maestrini, E., Addis, L., et al. (2009). Whole-genome scan and fine-mapping linkage study of auditory-visual synesthesia reveals evidence of linkage to chromosomes 2q24, 5q33, 6p12, and 12p12. *Am J Hum Genet*, 84, 279–285.
- Brang, D., Ramachandran, V. S. (2009). Visual field heterogeneity, laterality, and eidetic imagery in synesthesia. *Neurocase*, 16(2), 169-74.
- Brang, D., Hubbard, E. M., Coulson, S., Huang, M. X., Song, T., Ramachandran, V. S. (2010). Magnetoencephalography reveals early activation of V4 in grapheme color synesthesia. *NeuroImage*, 53(1), 268-274.
- Crawford, J.R. & Garthwaite, P.H. (2005). Testing for suspected impairments and dissociations in single-case studies in neuropsychology: Evaluation of alternatives using Monte Carlo simulations and revised tests for dissociations. *Neuropsychology*, 19, 318-331.
- Downing, P. E., Jiang, Y., Shuman, M., Kanwisher, N. A. (2001). cortical area selective for visual processing of the human body. *Science*, 293, 2470–2474.
- Galton, F. (1883). *Inquiries into the human faculty and its development*. New York: AMS Press.
- Gauthier I., Tarr M. J., Moylan J., Skudlarski P., Gore J. C., Anderson A. W. (2000). The fusiform ‘face area’ is part of a network that processes faces at the individual level. *J Cogn Neurosci*, 12, 495–504.
- Hubbard, E. M., Arman, A. C., Ramachandran, V. S., Boynton, G. M. (2005). Individual differences among grapheme-colour synaesthetes: Brain-behavior correlations. *Neuron*, 45, 975-985.
- Kanwisher, N., McDermott, J., Chun, M. (1997). The Fusiform Face Area: A Module in Human

- 1
2
3 Extrastriate Cortex Specialized for the Perception of Faces. *Journal of Neuroscience*, 17,
4 4302-4311.
5
6
7
8 Kim, C. Y., Blake, R., Palmeri, T. J. (2006). Perceptual interaction between real and synesthetic
9 colors. *Cortex*, 42, 195–203.
10
11
12 Mattingley J. B., Rich A. N., Yelland G., Bradshaw J. L. (2001). Unconscious priming
13 eliminates automatic binding of colour and alphanumeric form in synaesthesia. *Nature*,
14 410, 580–582.
15
16
17
18 Nakayama, K., Shimojo, S., Ramachandran, V. S. (1990). Transparency: relations to depth,
19 subjective contours, luminance and neon color spreading. *Perception*, 19, 497 – 513.
20
21
22
23
24 Oberman L. M., Winkielman P., Ramachandran V. S. (2007). Face to face: blocking facial
25 mimicry can selectively impair recognition of emotional expressions. *Soc Neurosci*, 2,
26 167–178.
27
28
29
30
31
32 Phelps, E. A. (2006). Emotion and cognition: insights from studies of the human amygdala.
33 *Annual Review of Psychology*, 57, 27–53.
34
35
36
37 Ramachandran, V. S., & Hubbard, E. M. (2001a). Psychophysical investigations into the neural
38 basis of synaesthesia. *Proceedings: Biological Sciences*, 268(1470), 979-983.
39
40
41
42 Ramachandran, V. S., Hubbard E. M. (2003a). Hearing colors, tasting shapes. *Scientific*
43 *American*, 288(5), 52–59.
44
45
46
47 Ramachandran, V. S., Brang, D. (2008). Synesthesia; from molecules to metaphor. *Scholarpedia*,
48 3(6), 3981.
49
50
51
52 Ramachandran, V. S., Hubbard, E. M. (2001b). Synaesthesia: A window into perception, thought
53 and language. *Journal of Consciousness Studies*, 8(12), 3-34.
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

1
2
3 perception. *Perception*, 35(11), 1557-60.

4
5 Rouw, R., Scholte, H. S. (2007). Increased structural connectivity in grapheme-color synesthesia.

6
7
8 *Nature Neuroscience*, 10, 792-797.

9
10 Simner, J., Mulvenna, C., Sagiv, N., Tsakanikos, E., Witherby, S. A., Fraser, C., et al. (2006).

11
12 Synaesthesia: The prevalence of atypical cross-modal experiences. *Perception*, 35:1024–
13
14 1033.

15
16 Smilek, D., Dixon, M. J., Cudahy, C., Merikle, P. M. (2002). Synesthetic color experiences

17
18 influence memory. *Psychological Science*, 13, 548–552. Sperling, J. M., Prvulovic, D.,

19
20 Linden, D. E. J., Singer, W. & Stirn, A. (2006). Neuronal correlates of graphemic colour
21
22 synaesthesia: A fMRI study. *Cortex*, 42, 295-303.

23
24
25
26 Ward, J., Thompson-Lake, D., Ely, R., Kaminski, F. Synaesthesia, creativity and art: What is the

27
28 link? (2008). *British Journal of Psychology*, 99, 127-141.

29
30
31
32 Ward, J., Jonas, C., Dienes, Z., Seth, A. (2010). Grapheme-colour synaesthesia improves

33
34 detection of embedded shapes, but without pre-attentive 'pop-out' of synaesthetic colour.

35
36
37 *Proceedings of the Royal Society London B*, 277(1684), 1021-1026.

Figures

Figure 1: Experimental setup showing a rendering of TK's reported experiences. Letters are displayed in all locations/colors used in the study. Each side of the figure contains ten graphemes inside and ten graphemes outside of the border.


Figure 2: TK's reaction times for each experimental condition. Error bars reflect standard error of the mean.

Figure 3: Effect of color congruity for emotional words in controls (grey circles) and TK (black square).

Figure 4: TK's emotion-color associations overlaid on a CIE color-space schematic.


1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 1



81x192mm (600 x 600 DPI)

Figure 2




81x58mm (600 x 600 DPI)

view Only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 3

Emotional word stroop




127x87mm (600 x 600 DPI)

Review Only

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

Figure 4



78x94mm (600 x 600 DPI)